


Zulässige Kräfte und Momente für Graphitstutzen

Werknorm


Kräfte



Stutzen	F _x	F _y	F _z
	N	N	N
DN 25	500	200	200
DN 50	800	500	500
DN 80	1500	900	900
DN 100	2000	1200	1200
DN 150	3000	1600	1600
DN 200	3150	1725	1725
DN 250	3350	1850	1850
DN 300	3550	1975	1975

Zulässige Kräfte und Momente für Graphitstutzen

Momente



Stutzen	Mx	My	Mz
	Nm	Nm	Nm
DN 25	100	80	80
DN 50	200	200	200
DN 80	350	300	300
DN 100	600	500	500
DN 150	900	800	800
DN 200	1100	1000	1000
DN 250	1300	1200	1200
DN 300	1500	1400	1400